| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--|---|---------------------|---------|------------------|
| [3 | 104 | additional adj address adj signal | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 21:37 |
| L2 | 12 | ("4831522", "5802601", "5953280", "2003090879", "5594704").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:14 |
| L3 | 4 | 2 and predetermined | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 21:52 |
| L4 | 22026 | (extend\$4 or expand\$4) with (address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:25 |
| L5 | 2153 | (extend\$4 or expand\$4) adj (address) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:36 |
| L6 | 1530 | (upper with lower) near5 bank | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:25 |
| L7 | 16 | 5 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:25 |
| L8 | 70 | (extend\$4 or expand\$4) adj (address adj bit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:37 |
| L9 | 27225 | "711"/\$.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:38 |

| L10 | 12 | 8 and 9 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:51 |
|------|-------|--|---|----|----|------------------|
| [5]S | 2 | "5255382".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 22:51 |
| L12 | 1 | 11 and select | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:23 |
| L13 | 2 | "5802601".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:14 |
| L14 | 1 | 13 and select | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:14 |
| L15 | 1 | 13 and (select adj (signal or command)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:15 |
| L16 | 2 | 2 and (select adj signal) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:17 |
| L17 | 1 | 13 and ce | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:24 |
| L18 | 50002 | (select adj signal) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:25 |
| L19 | 96 | (select adj signal) with memory with capacity | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/11 23:32 |

| L20 | 2 | "6788592".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:16 |
|-----|-------|--|---|----|----|------------------|
| L21 | 0 | 20 and (clock adj signal) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:16 |
| L22 | 0 | 20 and clock | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:17 |
| L23 | 20674 | (clock adj signal) with enabl\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:18 |
| L24 | 412 | (clock adj signal) with enabl\$4 with valid | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:18 |
| L25 | 42 | (clock adj signal) with enabl\$4 with valid with invalid | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB | OR | ON | 2005/12/12 00:36 |
| L26 | 1 | 19 and 25 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:19 |
| L27 | 24 | (select adj signal) and 25 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:19 |
| L28 | 1 | (clock adj signal) with enabl\$4 with valid with invalid with (memory adj space) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:37 |
| L29 | 1 | (clock adj signal) with enabl\$4 with valid with invalid same (memory adj space) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/12/12 00:37 |